APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS
SUBCLASS

FIG.1



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.2



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.3



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.4



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.5



APPROVED BY DRAFTSMAN O.G. FIG. CLASS SUBCLASS

FIG.6



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.7



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.8



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.9



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.10



FIG.11



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.12



FIG.13



66920 2742260

APPROVED BY DRAFTSMAN O.G. FIG. CLASS SUBCLASS

FIG.14



SYSTEM CONFIGURATION I

APPROVED
BY
DRAFTSMAN
CLASS
SUBCLASS
O.G. FIG.

FIG.15



SYSTEM CONFIGURATION II

APPROVED O.G. FIG.
BY
DRAFTSMAN
CLASS SUBCLASS

FIG.16



SYSTEM CONFIGURATION Ⅲ

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.17



09920 "27H2260

APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.18



SYSTEM CONFIGURATION V

66920 '27H2260

APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.19



SYSTEM CONFIGURATION Ⅳ

09920 27th2260

APPROVED O.G. FIG.
BY
CLASS SUBCLASS
DRAFTSMAN

FIG.20



SYSTEM CONFIGURATION Ⅶ

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.21



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.22



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.23



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.24



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.25

DATA STRUCTURE OF Null-AID

CHARACTER STRING UNIQUELY INDICATING THAT IT IS Null-AID	SIGNATURE OF CA

FIG.26

DATA STRUCTURE OF Enabler of Null-AID

CHARACTER STRING UNIQUELY INDICATING THAT IT IS Enabler	Null-AID ITSELF	SIGNATURE OF CA

APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.27



APPROVED O.G. FIG.
BY
CLASS SUBCLASS
DRAFTSMAN

FIG.28



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.29

DATA STRUCTURE OF God-AID

CHARACTER STRING UNIQUELY INDICATING THAT IT IS God-AID	SIGNATURE OF CA

FIG.30



APPROVED O.G. FIG.
BY
CLASS SUBCLASS
DRAFTSMAN

FIG.31



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.32



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.33



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.34



APPROVED BY CRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.35



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.36



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.37



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.38



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.39



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.40

(a) Official Identification:OID



(b) LINK INFORMATION ATTACHED Anonymous Identification:AID



(c) LINK SPECIFYING 1-To-N Personalized Access Ticket:PAT



APPROVED
BY
DRAFTSMAN
CLASS
SUBCLASS
O.G. FIG.

FIG.41



60320 27th 2260

APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.42



SYSTEM CONFIGURATION I

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.43



09920 '27h2260

APPROVED
BY
DRAFTSMAN
O.G. FIG.
CLASS
SUBCLASS

FIG.44



SYSTEM CONFIGURATION Ⅲ

APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS | SUBCLASS

FIG.45



APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.46



APPROVED
BY
DRAFTSMAN
O.G. FIG.
CLASS
SUBCLASS

FIG.47



SYSTEM CONFIGURATION VI

APPROVED BY DRAFTSMAN
O.G. FIG.
CLASS SUBCLASS

FIG.48



SYSTEM CONFIGURATION Ⅶ

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

FIG.49